

Touchscreen  
**POS SYSTEM**  
(ZLX102POS)



Adjustable  
Viewing Angle




Tempered Glass



Ultra thin beze



Fanless Design



Rich Ports



Global Headquarter



Sales & Marketing Office



European RMA Office

- ▶ Slim and Elegant Design
- ▶ Adjustable Viewing Angle
- ▶ 10-Points Capacitive Touchscreen
- ▶ Operating Temp -20 °C ~ 60 °C at 10% to 90% Humidity



## Communication

- ▶ Wi-Fi & Bluetooth modules are built in
- ▶ With Pre-Installed Android 11 Operating System

## The Next POS Generation is Here

The new ZULJANA 15.6" Desktop POS Terminal is designed for modern businesses, featuring a robust full aluminum die-cast design for durability and style. Its 15.6-inch PCAP Full HD interactive display delivers an enhanced user experience with exceptional clarity and responsiveness. Equipped with rich I/O interfaces, the terminal ensures seamless connectivity with printers, scanners, and cash drawers, while hidden cable routing maintains a clean and organized counter space. For added functionality, an optional 10.1-inch customer display offers one of the sleekest and most streamlined form factors available to the market.



## Interface



### USB+Serial



## Specification

Model	15.6 Inch POS (Android)
<b>Motherboards</b>	Rockchip RK3568 Processor
<b>Operating System</b>	Android 11 pre-installed
<b>Working Memory</b>	4 GB RAM
<b>System Memory</b>	64 GB ROM/Storage
<b>Operating Display</b>	15.6" TFT-Display
<b>Aspect Ratio</b>	16:9
<b>Resolution</b>	1920 x 1080
	10 Points Capacitive Touch Screen
<b>Second Display</b>	10.1" LCD Second Display (Optional)
<b>Power Supply</b>	Adaptor 12V, 5A / 24V, 6.35A
<b>Speakers</b>	2 x 2W
<b>Interfaces</b>	2 x USB 3.0, 2 x USB 2.0
	1 x RJ-11 (Integrated circuit GPIO)
	1 x Audio I/O
	1 x Gigabit Ethernet, RJ-45
	1 x HDMI, 1 x Card Reader
<b>Other Peripherals</b>	NFC / MSR / Dallas Key (optional)
<b>Connectivity</b>	Wi-Fi 2.4G/802.11 a/b/g/n Bluetooth 4.0/4.2
<b>Operating Temp</b>	-20 °C ~ 60 °C at 10% to 90% Humidity
<b>Storage Temp</b>	-20 °C ~ 80 °C at 10% to 90% Humidity
<b>Net Weight</b>	4.8 KG
<b>Gross Weight</b>	7.65 KG (Inc. cartontage)

